

# Triple attachment d100mm for DFC

- 🔧 Sectors
- 🔧 Applications: **Mobile**
- 🔧 Issues **Fumes, Powders**

COD: 3X100ASPMFC1100

Triple suction connection diam. 100 mm for DFC11

## Detailed description

Galvanised steel triple suction connection, required for connection of flexible hoses diam. 100 mm complete with manual guillotine dampers for flow partialisation.



## Dimensions



Code	Ø mm
3X100ASPMFC1100	100

## Technical Data


Code	Diameter mm
3X100ASPMFC1100	100



## Photogallery



## Related products



### DFC11NBM dust extractor with self-cleaning filters without arm

DFC11NBM0000000

The DFC series wheeled fumes and dust extractor is designed for the extraction and filtration of fumes and micro-dust, even very fine and volatile dust generated during surface treatment processes of metals or composite materials.



### Dust extractor DFC11NBTX with self-cleaning filters

DFC11NBTX0000000

The DFC series wheeled fume and dust extractor is designed for the extraction and filtration of even very fine and volatile fumes and micro-dust generated during surface treatment processes of metals or composite materials



### DFC11BR3M fumes and dust extractor with self-cleaning filters and arm

DFC11BR3M0000000

The DFC mobile wheeled fume and dust extractor is designed for the extraction and filtration of even very fine and volatile fumes and micro-dust generated during surface treatment processes of metals or composite materials.





## DFC11BF3M smoke and dust extractor with self-cleaning filters and 3m superFLEX arm

DFC11BF3M000000

The DFC mobile wheeled fume and dust extract or is designed for the extraction and filtration of even very fine and volatile fumes and micro-dust generated during surface treatment processes of metals or composite materials.

