

SAM3 sanding dust extractor with automatic filter cleaning

🔗 Sectors [Sanding](#)

🔗 Applications: [Mobile](#)

🔗 Issues [Powders](#)

COD: SAM300000000000



The **SAM3 mobile wheeled extractor cleaner** is a highly professional solution for working safely from dust produced during surface treatments of composite materials, fiberglass, and wood, such as in automotive body shops, shipbuilding, railways, and aeronautics.

Detailed description

The SAM3 mobile wheeled extractor cleaner is a highly professional solution for working safely with dust produced during surface treatments of composite materials, fiberglass, and wood, such as in automotive body shops, shipbuilding, railways, and aeronautics.

- Compact and easy-to-handle design;
- Automatic compressed air counterflow cleaning;
- Complete with: sander stand, 7mt compressed air supply hose, 7mt electric power cable.

OPERATION

The wheeled extractor cleaner can be started manually from the on-board panel or automatically, combined with the use of an electric or pneumatic tool.

The aspirated dust is collected in an easily removable container.

Fine dust filtration is provided by a class "M" aluminized polyester filter cartridge, equipped with an automatic cleaning system using a countercurrent jet of compressed air, controlled by an electronic timer.

Comes complete with sander stand, 7mt compressed air supply hose, 7mt electric power cable.

UTILITIES:

- 230V single-phase electrical outlet;
- regulated compressed air safety quick tap;
- suction nozzle.

CONTROLS:

- 0/I/Automatic operation selector switch;
- vacuum cleaner speed regulator.

OPTIONAL:

- stand for conversion into a fixed station



Dimensions

Code	Dimensions cm
SAM300000000000	815 x 596 x 950h

Technical Data

Code	Power W	Nominal flow rate m ³ / h	Weight kg	Power supply V	Power supply Hz	Cartridge type	Attachment	Depression mmH ₂ O	Filter wall m ²
SAM300000000000	1400	200	62	220 - 240	50/60	Pol. Aluminate	single-phase	1800	1.7



Accessories

