

TENSAL welding curtains conforming to EN ISO 25980 standard

🔗 Sectors [Welding, Grinding,](#)

🔗 Applications [Fix](#)

🔗 Issues [Light](#)

COD: TENSAL000000000



TENSAL protection curtains are ideal for separating work areas and creating new welding stations that are easily and quickly accessible.

They come complete with eyelets on the top side, snaps on both vertical sides and hanging hooks.

Insight

During welding, TENSAL curtains offer maximum protection from blue light, ultraviolet radiation and arc light.

The great advantage of these translucent welding curtains is that in addition to protection, they allow the inside of the booth to be seen from the outside.

They are all self-extinguishing, according to the European EN ISO 25980 standard regulating this product and are appropriate for any welding process.

COLORS AVAILABLE

- **Dark green:** opaque to offer maximum protection against radiation. It is very effective in cases where two or more welders are working close together, as the curtain eliminates the annoyance that the welding arc from one operator may cause to another.
- **Orange:** The bright shade is appropriate for work areas where it is convenient or necessary to notify third parties of the welding zone in progress.



Dimensions

Code	Dimensions cm
TENSALH160L140A	140x160H
TENSALH160L140V	140x160H
TENSALH180L140A	140x180H
TENSALH180L140V	140x180H
TENSALH200L140A	140x200H
TENSALH200L140V	140x200H



Photogallery



Related accessories

