

# Replacement filter kit SBV-SBF suction tables

📌 Sectors

📌 Applications **Mobile**

📌 Issues **Fumes**


COD: KITFILTRISBVF00

Replacement filter kit for SBV and SBF suction benches.

## Insight

Complete filtering section consisting of two stages :

- 23 mm thick **flat filters** composed of a frame made of galvanised sheet metal U-profiles, two containment nets of electro-welded galvanised steel wire and filtering media made of layers of metal mesh in aluminium cusped braid.
- **rigid pocket filters** consisting of a moulded polypropylene frame with high mechanical resistance inside which the filter panels are housed. The filter media is made of fire-retardant and water-repellent glass microfibre paper is pleated and uniformly spaced by thermoplastic separators.



## Photogallery



## Related Products



### SBV suction bench with integrated fan and filters

SBV000000000000

The **SBV extraction bench** is designed to protect the operator from fumes and volatile dust emitted by professional processes such as welding, deburring, sanding, or grinding metals in the metalworking industry, foundries, and all sectors where surface treatments are carried out with dry abrasives. It is also used for cleaning parts or blowing off dust from components.

The **extraction bench is ready for use**, with no need for external fans, filters, or electrical connections, as the on/off switch is already equipped with a three-phase plug.

The basic version of the bench, as shown in the price list below, comes complete with a worktop, suction front, magnetothermal on/off switch wired to the motor, and adjustable feet.



### SBF suction bench with integrated filters

SBF000000000000

The **SBF suction bench** is to be used to suck in fumes and dust during welding, deburring, sanding or grinding operations on metals and in all areas where surface treatments with dry abrasives are carried out.

