

# GSWIT wall-mounted exhaust gas aspirator [motorbike and car]

📌 Sectors [Exhaust gases](#),

📌 Applications [Fix](#)

📌 Issues [Exhaust gases](#)

COD: GSWIT0000000000



The **GSWIT wall-mounted extract** or fan is a simple and economical solution for extracting exhaust fumes from motorbikes or small/medium sized vehicles, when these are stationed indoors but it is necessary to keep the engine running for technical tests or temporary stationing.

## Insight

### Kit composition:

- Single inlet centrifugal fan in directly coupled execution with three-phase motor, complete with bracket for wall mounting. Air flow suitable for hose diameter and length.
- Rubber-reinforced nylon spiral anti-crush hose (certified use for suction systems) wall-mounted exhaust gas or with reels. Withstands temperatures up to 200°C. Diameter 75mm or 100mm depending on model
- Steel wall bracket for hose support when not in use.
- Rubber nozzle for hose connection to vehicle exhaust.

Easy to fit.

NB: the extractor must be connected to an exhaust pipe.



## Technical Data

Code	Motor	Pipe Ø mm	Tube length meters	Nozzle	Q max mc/h
GSWIT5750000000	0.5HP 0.35Kw 230/400 V	75	5	SBGT75	350
GSWIT7575000000	0.5HP 0.35Kw 230/400 V	75	7.5	SBGT75	350
GSWIT1075000000	0.5HP 0.35Kw 230/400 V	75	10	SBGT75	350
GSWIT5100000000	0.5HP 0.35Kw 230/400 V	100	5	SBGT100	350
GSWIT7510000000	0.5HP 0.35Kw 230/400 V	100	7.5	SBGT100	350

