

Replacement filter kit SBV-SBF suction tables

📌 Sectors

📌 Applications: **Mobile**

📌 Issues **Fumes**


COD: KITFILTRISBVF00

Replacement filter kit for SBV and SBF suction benches.

Detailed description

Complete filtering section consisting of two stages :

- 23 mm thick **flat filters** composed of a frame made of galvanised sheet metal U-profiles, two containment nets of electro-welded galvanised steel wire and filtering media made of layers of metal mesh in aluminium cusped braid.
- **rigid pocket filters** consisting of a moulded polypropylene frame with high mechanical resistance inside which the filter panels are housed. The filter media is made of fire-retardant and water-repellent glass microfibre paper is pleated and uniformly spaced by thermoplastic separators.



Photogallery



Spare parts



SBV suction bench with integrated fan and filters

SBV000000000000

The **SBV suction bench** is designed to protect the operator from fumes and volatile dust emitted by professional processes such as welding, deburring, sanding or grinding of metals in the metalworking industry, foundries and all sectors where surface treatments with dry abrasives are carried out. It is also used for cleaning workpieces or blowing parts with associated dust emission.

In this version the suction bench is ready to use, no fans or external filters or electrical connections are needed because the on/off switch is already fitted with a three-phase plug.

The basic version of the bench, referring to the prices in the table below, is already supplied complete with suction table, on/off circuit breaker wired to the motor and adjustable feet.

Accessories: you can customise the bench according to your production requirements by choosing from the various accessories available at the bottom of the page, or by contacting one of our consultants who will advise you on how to configure the system, for example by adding the side partitions shown in the photo.



SBF suction bench with integrated filters

SBF000000000000

The **SBF suction bench** is to be used to suck in fumes and dust during welding, deburring, sanding or grinding operations on metals and in all areas where surface treatments with dry abrasives are carried out.

